

TeL: 86-519-68208602 Fax: 86-519-85851009

Add: NO.2, BUILDING 53, HUNDSUN SCIENCE & TECHNOLOGY PARK, BEITANGHE ROAD, TIANNING DISTRICT, CHANGZHOU, JIANGSU, CHINA.

MATERIAL SAFETY DATA SHEET

Manufacturer/information service:

CHANGZHOU BOOMING CROP SCIENCE CO.,LTD

NO.2, BUILDING 53, HUNDSUN SCIENCE & TECHNOLOGY PARK, BEITANGHE

ROAD, TIANNING DISTRICT, CHANGZHOU, JIANGSU, CHINA

Phone: 86-519-68208602 Fax: 86-519-85851009

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: 6-Benzylaminopurine (6-BA)

Product Number: B3408

REACH No.: A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the

registration is envisaged for a later registration deadline.

CAS-No.: 1214-39-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

CHANGZHOU BOOMING CROP SCIENCE CO.,LTD

NO.2, BUILDING 53, HUNDSUN SCIENCE & TECHNOLOGY PARK, BEITANGHE

ROAD, TIANNING DISTRICT, CHANGZHOU, JIANGSU, CHINA

Phone: 86-519-68208602 Fax: 86-519-85851009

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin irritation (Category 2), H315

Eye irritation (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Xi Irritant R36/37/38

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Warning

Hazard statement(s)

H315 Causes skin irritation.



TeL: 86-519-68208602 Fax: 86-519-85851009

Add: NO.2, BUILDING 53, HUNDSUN SCIENCE & TECHNOLOGY PARK, BEITANGHE ROAD, TIANNING DISTRICT, CHANGZHOU, JIANGSU, CHINA.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard none

Statements

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms: BA N6-Benzyladenine Formula: C12H11N5

Molecular Weight: 225,25 g/mol

CAS-No.: 1214-39-7 EC-No.: 214-927-5

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification

Concentration

Benzyl(purin-6-yl)amine

CAS-No. 1214-39-7

EC-No. 214-927-5

Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335

<= 100 %

Hazardous ingredients according to Directive 1999/45/EC

Component

Classification

Concentration

Benzyl(purin-6-yl)amine

CAS-No. 1214-39-7

EC-No. 214-927-5

Xi, R36/37/38

<= 100 %

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.



TeL: 86-519-68208602 Fax: 86-519-85851009

Add: NO.2, BUILDING 53, HUNDSUN SCIENCE & TECHNOLOGY PARK, BEITANGHE ROAD, TIANNING DISTRICT, CHANGZHOU, JIANGSU, CHINA.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NOx)

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas.

Ensure

adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.



TeL: 86-519-68208602 Fax: 86-519-85851009

Add: NO.2, BUILDING 53, HUNDSUN SCIENCE & TECHNOLOGY PARK, BEITANGHE ROAD, TIANNING DISTRICT, CHANGZHOU, JIANGSU, CHINA.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.Normal measures for preventive fire

protection.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374



TeL: 86-519-68208602 Fax: 86-519-85851009

Add: NO.2, BUILDING 53, HUNDSUN SCIENCE & TECHNOLOGY PARK, BEITANGHE ROAD, TIANNING DISTRICT, CHANGZHOU, JIANGSU, CHINA.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374,

contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: light yellow

- b) Odour no data available
- c) Odour Threshold no data available
- d) pH no data available
- e) Melting point/freezing Melting point/range: 230 233 °C
- f) Initial boiling point and no data available boiling range

- g) Flash point no data available
- h) Evapouration rate no data available
- i) Flammability (solid, gas) no data available
- j) Upper/lower no data available

flammability or

explosive limits

- k) Vapour pressure no data available
- 1) Vapour density no data available
- m) Relative density no data available
- n) Water solubility no data available
- o) Partition coefficient: noctanol/ no data available

water

p) Auto-ignition no data available



Tel: 86-519-68208602 Fax: 86-519-85851009
Add: NO.2, BUILDING 53, HUNDSUN SCIENCE & TECHNOLOGY PARK,

Add: NO.2, BUILDING 53, HUNDSUN SCIENCE & TECHNOLOGY PARK, BEITANGHE ROAD, TIANNING DISTRICT, CHANGZHOU, JIANGSU, CHINA.

temperature

- q) Decomposition no data available temperature
- r) Viscosity no data available
- s) Explosive properties no data available
- t) Oxidizing properties no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - rat - 2.125 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Lacrimation.

Behavioral:Somnolence (general depressed activity).

LD50 Dermal - mouse - > 5.000 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

Germ cell mutagenicity

Human

leukocyte

Other mutation test systems

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as



Tel: 86-519-68208602 Fax: 86-519-85851009

Add: NO.2, BUILDING 53, HUNDSUN SCIENCE & TECHNOLOGY PARK,
BEITANGHE ROAD, TIANNING DISTRICT, CHANGZHOU, JIANGSU, CHINA.

probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: AU6252200

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 21,4 mg/l - 96 h

Toxicity to daphnia and

other aquatic

invertebrates

EC50 - Daphnia magna (Water flea) - 20,5 mg/l - 48 h

Toxicity to algae LC50 - Chlamydomonas globosa - 56 mg/l - 48 h

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Harmful to aquatic life.

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.



Tel: 86-519-68208602 Fax: 86-519-85851009

Add: NO.2, BUILDING 53, HUNDSUN SCIENCE & TECHNOLOGY PARK,
BEITANGHE ROAD, TIANNING DISTRICT, CHANGZHOU, JIANGSU, CHINA.

SECTION 14: Transport information

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

no data available

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit. Eye irritation

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

Full text of R-phrases referred to under sections 2 and 3

Xi Irritant

R36/37/38 Irritating to eyes, respiratory system and skin.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. CHANGZHOU DAWN



Tel: 86-519-68208602 Fax: 86-519-85851009

Add: NO.2, BUILDING 53, HUNDSUN SCIENCE & TECHNOLOGY PARK,
BEITANGHE ROAD, TIANNING DISTRICT, CHANGZHOU, JIANGSU, CHINA.

INTERNATIONAL CO., LTD shall not be held liable for any damage resulting from handling or from contact with the above product. See the reverse side of invoice or packing slip for additional terms and conditions of sale.